


semi-intensive vegetation (lawn)
 DIADEM® SIM intensive substrate
 DIADEM® VLF-200 separation and filter geotextile
 DIADEM® DiaDrain-40H drainage board
 DIADEM® VLF-110 separation and filter geotextile
 closed cell thermal insulation
 DIADEM® VLU-300 mechanical protection geotextile
 root-resistant waterproofing membrane
 additional layers

frost-proof pavement
 DIADEM® DiaTurtle height-adjustable terrace pedestal
 crushed stone bedding, min. 3,0 cm
 DIADEM® DiaDrain-25H-UP perforated drainage board
 DIADEM® VLF-110 separation and filter geotextile
 closed cell thermal insulation
 DIADEM® VLU-300 mechanical protection geotextile
 root-resistant waterproofing membrane
 additional layers

DIADEM® DiaTurtle
 height-adjustable terrace pedestal

DIADEM® BW-30
 concrete edging element

DIADEM® DE-10
 drainage board
 with geotextil



0 10 50 cm

The present drawing illustrates a possible detail version that is protected by copyright and its use is permitted only with the indication of the source. The structures should always be correctly dimensioned and conformed to the relevant specifications and regulations (structural, energetic, acoustic...etc.)



A.P.P. Kft.
 Fehérvári út 75.
 H-9028 Győr
 +36 96 / 512 910
 info@diadem.com
 www.diadem.com

DIADEM 350®

semi-intensive green roof and terrace, inverted roof
 SWITCHING BETWEEN TERRACE AND
 GREEN ROOF

date: 2025

drawing number:
 350_10